SUBJECT INDEX

A
Abscission zone, in oil palm fruit, solid state ^{13}C CP/MAS NMR analysis of 131
Acanthaceae 369
Acanthus ilicifolius, lignan glucosides from 369
Acetogenins, from liverworts 297
Adiantum lunulatum, antibacterial triterpenoid from 173
Afzelia bella, dihydroflavonol glycoside from 827
Aglaia lawii, pregnane steroid from 775
Agmatine deiminase, from maize shoots 643
Aizoaceae 99
Alangiaceae 623
Alangium lamarckii, tetrahydroisoquinoline-monoterpene and iridoid glycosides from 623
Algae 597, 677, 795
Alkaloids,
  antimicrobial, from *Zanthoxylum* 857
  from *Annona* 753
  from *Crinum* 637
  from *Eurycoma* 383
  insecticidal, from *Stemona* 693
  N_b,C(21)-secocuran, from *Strychnos* 863
  phenanthroindolizidine, from *Tylophora*, sequestration of by *Ideopsis* butterflies 697
  polyhydroxylated, occurrence and therapeutic applications of 265
  tropane, production of by *Duboisia* shoot culture 59
Alkenes, light-dependent degradation of, in *Emiliania* and *Nannochloropsis* 677
Alkyl phenols, from *Tapirira* bark 781
Alpinia flabellata, phenylbutanoid dimers from 109
Alternaria alternata, biosynthesis of bicycloalternarenes in 551
Amaranthaceae 499
Amaranthus caudatus, increase of fructose 2,6-biphosphate in 499
Amaryllidaceae 637
Ambuic acid, from *Pestalotiopsis* and *Monochaetia*, antifungal activity of 463
Anacardiaceae 781
Ananas comosus, ester linkage of ferulic acid to polysaccharides in cell walls of 513
Anemone coronaria, acylated anthocyanins from 711
Annona cherimola, alkaloids from 753
Annonaceae 335, 753
Anthocyanins,
  acylated, from scarlet *Anemone* flowers 711
  contribution of Jeffrey Harborne to the study of 229
  from red flower tea 359
  malonylated, from *Meconopsis* flowers 373
Antifungal compounds, role of in plant–fungal interactions 253
Apiaceae 177
Aralia elata, saponins from root bark of 491
Araliaceae 491
Arecaceae 131
Aroma precursor, C_{13}-norisoprenoid, from tea leaves 819
Arrabidaea chica, NF-κB inhibitory 3-desoxyanthocyanidins from 831
Asclepiadaceae 697
Asparagaceae 569
Asparagus, phytoecdysteroids from 569
Asteraceae 93, 167, 475, 543, 577
Asteriscus vogelii, phytotoxic and cytotoxic humulenes from 167
ATP-binding cassette transporter, for rye mesophyll flavone giucuronides 153
Avena sativa, sucrose diester of a substituted β-truxinic acid from 843
A. strigosa, biosynthesis of cyclic triterpenoids in avenacin-deficient mutants of 121
Azorella yareta, trichomonicidal diterpenoids from 177

B
Beauveria bassiana, biotransformation of diterpenes by 141
Beta vulgaris, biosynthesis and occurrence of betacyanins in 429
Betacyanins, dopamine-derived, biosynthesis and occurrence of in *Beta* 429
Bianthraquinones, from *Cassia* 849
Bicycloalternarenes, biosynthesis of in *Alternaria* 551
Biebersteinia orphanidis, external flavonoids from 87
Biebersteiniaceae 87
Bignoniaceae 831
Bioactive plant products,
  allelopathic sesquiterpene lactone, from *Helianthus* 577
  antialgal lactone diterpenes, from *Potamogeton* 469
  antibacterial
    alkaloids, from *Zanthoxylum* 857
    triterpenoid, from *Adiantum* 173
  antifeedant diterpenes, from *Persea* 315
  antifungal
    alkaloids, from *Zanthoxylum* 857
    compounds, from higher plants 253
    cyclohexenone, from *Pestalotiopsis and Monochaeta* 463
    dialdehyde, from *Physisporinus* 747
    flavonol triglycosides, from carnation 717
    tetraterpenoid, from *Trianthema* 99
  antiprotozoal terpenoids, from *Guarea* 203
  antispasmodic saponins, from *Zygophyllum* 393
  cytostatic lipids, from *Haslea*, effect of temperature on 597
  cytotoxic
    alkyl phenol derivative, from *Tapirira* 781
    ferulates, from gum guggul 723
    humulenes, from *Asteriscus* 167
    labdane diterpenoids, from *Croton* 103
    saponins, from *Viguiera* 93
  free radical scavenging
    ferulates, from *Commiphora* 723
    flavan-3-ol, from *Campanula* 631
    polyphenolics, from *Geranium* 189
  fungitoxic flavonol glycoside, from carnation, active against *Fusarium* 717
  haemolytic chacotriosides of steroidal glycoalkaloids, from *Solanum* 603
  insecticidal 16,17-didehydro-16(*E*)-stemofoline, in *Stemona* 693
  NF-(κB inhibitory 3-desoxyanthocyanidins, from *Arrabidaea* 831
  phytotoxic humulenes, from *Asteriscus* 167
  platelet lipoxygenase inhibitory phenolic esters, from *Citrus* 729
  trichomonicidal diterpenoids, from *Azorella* 177
Biopiracy, views on 403
Biosynthesis,
  of betacyanins, dopamine-derived, in *Beta* 429
  of bicycloalternarenes, in *Alternaria*, via shikimate pathway 551
  of cyclic triterpenoids, in *Avena* mutants 121
Biotransformation,
  of cedrol, by *Curvularia* 417
  of diterpenes, by *Beauveria* 141
Bis(bibenzyl)s, from liverworts 297
Bolusanthus speciosus, isoflavonoids and flavonoids from 837
Brassicaceae 153, 685

PII: S0031-9422(01)00223-0

Bromeliaceae 513
Bromoallenic lipids, from central Asian lichens 869
Bryophytes, phytochemistry and biological activity of 297
Burseraceae 723

C
Cabraleadiol monoacetate, from *Aglaia*, X-ray crystallography of 775
Camellia sinensis,
anthocyanins from leaves and flowers of 359
aroma precursor from leaves of 819
Campanula barbata, flavonoids and phenylpropanoids from 631
Campanulaceae 631
Cardaminopsis halleri, involvement of silicon in heavy metal tolerance of 685
Caryophyllaceae 703, 717
Cassia siamea, bianthraquinones from 849
Cedrol, biotransformation of, by *Curvularia* 417
Celastraceae 341
Cell-wall composition, of raspberries, ripening-related changes of 423
Chemotaxonomic studies,
of diterpenes, in Lamiaceae, computer-assisted approach of 583
of external flavonoids,
in *Biebersteinia* 87
8-oxygenated, in Ocimum 559
of flavonoids, in *Hebe parviflora* complex 453
of phytoecdysteroids, in *Asparagus* 569
of sesterterpenoids, from *Haslea* diatoms 795
of triterpenoids, from *Daldinia* 787
Chenopodiaceae 429
Citrus reticulata, inhibitors of platelet lipoxygenase from 729
Clusia, ecological and taxonomic importance of flower volatiles from 443
Clusiaceae 437, 443
Coclaurine *N*-methyltransferase, from Coptis cells 649
Combinatorial biochemistry, in alkaloidal systems, using *O*-methyltransferases 1
Commiphora wightii, cytotoxic ferulates from 723
Conglutin γ, from *Lupinus*, interaction of metal ions with 529
Coptis japonica, coclaurine *N*-methyltransferase from 649
Crinum moorei, alkaloids from 637
Croton joufra, labdane and pimarane diterpenes from 811
C. oblongifolius, cytotoxic labdane diterpenoids from 103
Curvularia lunata, biotransformation of cedrol by 417
Cyclohexenone, antifungal, from *Pestalotiopsis* and *Monochaetia* 463
Cyperaceae 321
Cyperus alopecuroides, essential oils from 321
Cytosolic aldolase, ripening-related enzyme from strawberries 407

D
Daldinia concentrica, taxonomically significant triterpenoid from 787
3-Desoxyanthocyanidins, NF-κB inhibitory, from *Arrabidaea* 831
Dianthus caryophyllus,
fragrance volatiles of developing and senescing flowers of 703
kaempferide triglycoside from, as possible resistance factor to *Fusarium* 717
Dioncophyllaceae 387
Diterpenoids,
anti-algal, from *Potamogeton* 469
antifeedant, from *Persea* 315
biotransformation of by *Beauveria* 141
from liverworts 297, 347
in Lamiaceae, computer-assisted approach for chemotaxonomic studies of 583
labdane, from *Croton* 103, 811
pimarane, from *Croton* 811
trichomonicidal, from *Azorella* 177
weakly antiprotozoal, from *Guarea* 203
DNA fingerprints, prediction of phytochemical markers in *Echinacea* by 543
Dorstenia gigas, furanocoumarins from 611
Duboisia myoporoides, tropane alkaloid production by 59
Dysoxylum malabaricum, triterpenoids from 331

E
Echinacea, assocation of phytochemical variables and DNA fingerprints of 543
Ecological biochemistry, development of 223
Elaeis guineensis, microscopic, chemical, enzymatic and solid state 13C CP/MAS NMR analyses if abscission zone of 131
Emiliania huxleyi, light-dependent degradation of long-chain alkenes in killed cells of 677
Ericaceae 875
Eriocaulaceae 853
Erythrina suberosa, isoflavonoids from 769
Essential oils, from *Cyperus* 321
Ethnobotany, interaction of with phytochemistry 117
Euphorbiaceae 103, 811
Eurycoma harmandiana, alkaloids from 383

F
Fabaceae 77, 363, 529, 733, 769, 827, 837, 849
Fatty acids, bromoallenic aliphatic, from lichens 869
Ferulates, cytotoxic, from gum guggul 723
Ferulic acid, ester linkage of to polysaccharides in pineapple cell walls 513
Flavanone glycoside, from *Rhododendron* 875
Flavanonol glycoside, acylated, from *Afzelia* bark 827
Flavones, external, 8-oxygenated, from *Ocimum* 559
Flavonoids,
as taxonomic characters in *Hebe* 453
external, from *Biebersteinia* 87
from *Bolusanthus* stem bark 837
from *Campanula* 631
from *Leiothrix* capitula 853
from *Ochna* 353
importance of in insect-plant interactions 245
with free radical scavenging activity, from *Geranium* 189
Flavonol triglycoside, from carnation, possible resistance factor to *Fusarium* 717
Flavonols, from *Meconopsis* flowers 373
Floral volatiles, of *Clusia*, ecological and taxonomic importance of 443
Forsythia suspensa, dammarane triterpenoids from 815
Fragaria × *ananassa*, ripening-related cytosolic aldolase from 407
Fungi 53, 141, 161, 253, 417, 463, 505, 551, 717, 747, 787, 801
Furanocoumarins, from *Dorstenia* 611
Fusarium oxysporum f.sp. *dianthi*, kaempferide triglycoside as a possible resistance factor of carnation to 717

G
Geraniaceae 189
Geranium pratense, free radical scavenging polyphenols from 189
Gibberella fujikuroi, monooxygenases involved in gibberellin synthesis in 505
Gibberellins A_1 and A_3, metabolism of in *Prunus* 67
Glucosinolates, chemical diversity and distribution of 5
Glycoalkaloids, from *Solanum*, membrane disruption and enzyme inhibition by 603
Glycoprotein, oligomeric, from *Lupinus*, interaction of metal ions with 529
Guarea rhophalocarpa, weakly antiprotozoal terpenoids from 203

H
Harborne, J.B., contribution of to phytochemical research 217, 219, 229, 237, 245, 253
Haslea ostrearia,
effects of temperature on polyunsaturation in cytostatic lipids of 597
tetra-unsaturated sesterterpenoids from 795
Hebe parviflora, flavonoids as taxonomic characters in the revision of 453
Helianthus annuus, allelopathic sesquiterpene lactone from 577
Hepaticae 807
sesqui- and diterpenoids from 297, 347
Hibiscus cannabinus, lignans from 759
2-Hydroxy-4,7-dimethoxy-1,4-benzoxasin-3-one glucoside, in maize leaves 669

(3*R*, 9*R*)-3-Hydroxy-7,8-dihydro-β-ionol disaccharide glycoside, from tea leaves 819
Hypericin, seasonal variation of in St. John's wort 437
Hypericum perforatum, seasonal variation of hypericin in 437

I
Iridoid glycosides, from *Alangium* 623
Isoflavonoid profile, of *Lupinus*, changes of after treatment with biotic elicitor 77
Isoflavonoids,
from *Bolusanthus* stem bark 837
from *Erythrina* 769
from *Millettia* 363
(+)-Isoshinanolone, absolute configuration and LC-CD analysis of 387
Isothiocyanates, chemical diversity and distribution of 5

J
Jungermannia infusca, *seco*-cuparane sesquiterpenoid from 807

L
Lactarium volemus, ergostane sterols from 801
Lamiaceae 559
computer-assisted approach for chemotaxonomic study of diterpenes from 583
Lauraceae 315
Lectin, from *Mycoleptodonoides* 53
Leiothrix, xanthones and flavonoids from 853
Lepidimoic acid, influence of on fructose 2,6-biphosphate in *Amaranthus* seedlings 499
Lichen acid glycosides, from Central Asian lichens 181
Lichens 181
bromoallenic lipids from 869
Lignan glucosides, from *Acanthus* 369
Lignans, from the core of kenaf 759
Ligustrum lucidum, secoiridoids from 327
Lipids, cytostastic, from *Haslea*, effect of temperature on polyunsaturation of 597
Loganiaceae 863
Lupinus albus,
changes in isoflavonoid metabolism after treatment with biotic elicitor 77
interaction of metal ions with conglutin γ from 529

M
Malvaceae 759
Meconopsis grandis, malonyated anthocyanins and flavonols from 373
Medicinal plants, role of phytochemistry in the study of 237
Meliaceae 203, 331, 775
Metal ions, interaction of with lupin seed conglutin γ 529
O-Methyltransferases, from *Thalictrum tuberosum*, substrate specificities of 1
Mikania guaco, germacranolides from 475
Millettia griffoniana, isoflavonoids from 363
Monochætia, antifungal activity of ambuic acid from 463
Monooxygenases, involved in gibberellin synthesis in *Gibberella* 505
Monoterpenoids, from liverworts 297
Moraceae 611
Musci 297
Mycoleptodonoides aitchisonii, lectin from 53

N
Nannochloropsis salina, light-dependent degradation of long-chain alkenes in 677
Naphthalene glycosides, from *Rumex* roots 399
Nicotiana tabacum, phenylpropanoid profiles in transgenic plants of 535
Norisoprenoid disaccharide glycoside, aroma precursor, from tea leaves 819

O
Ochna integerrima, flavonoids from 353
Ochnaceae 353
Ocimum, 8-oxygenated external flavones from 559
Oleaceae 327, 815
Oryza sativa, phytoalexins from 253

P
Papaveraceae 373
Passiflora foetida, α-pyrone polyketides from 881
Passifloraceae 881
Pectin-dehydrogenation polymer complex, synthesis of 195
Peptides, phytochelatin-related, from maize seedlings 657
Persea indica, antifeedant activity of diterpenes from 315
Pestalotiopsis, antifungal activity of ambuic acid from 463
Phenolic esters,
cytotoxic, from *Commiphora* 723
inhibitors of platelet lipoxygenase, from Ponkan fruit 729
Phenolics, from *Hibiscus* 759
Phenylbutanoid dimers, from *Alpinia* leaves 109
Phenylbutanoids, from *Rheum* 377
Phenylpropanoid profiles, in transgenic tobacco plants expressing yeast-derived invertase 535
Phenylpropanoids, from *Campanula* 631
Physisporinus sanguinolentus, pyrones, pyridone and antifungal sesquiterpene from 747
Phytoalexins, role of in plant-fungal interactions 253
Phytochelatins, cadmium-induced, from maize seedlings 657
Phytochemistry, history of the journal 219
Phytochemistry, role of in the study of medicinal plants 237
Phytoecdysteroids, from *Asparagus* 569
Plant-fungal interactions, role of phytoalexins in 253
Poaceae 121, 153, 643, 657, 669, 843
Polygonaceae 377, 399
Polyketides, from *Passiflora* resin 881
Polyphenols, free radical scavenging, from *Geranium* 189
Potamogeton natans, anti-algal lactone diterpenes from 469
Potamogetonaceae 469
Protein biochemistry,
agmatine deiminase, from maize shoots 643
coclaurine *N*-methyltransferase, from cultured *Coptis* cells 649
conglutin γ, from lupin seed, interaction of metal ions with 529
cytosolic aldolase, ripening-related, in strawberry fruits 407
lectin, from *Mycoleptodonoides* 53
tyramine *N*-(hydroxycinnamoyl)transferase, inhibition of 523
Prunus avium, metabolism of gibberellins A_1 and A_3 in 67
Pteridophyta 173
4-Pyridone, from liquid culture of *Physisporinus* 747
Pyrones, from liquid culture of *Physisporinus* 747

R
Ranunculaceae 649, 711
Rheum maximowiczii, phenylbutanoids and stilbenes from 377
Rhododendron simsii, triterpene, flavanone glycoside and antioxidant acids from 875
Rosaceae 67, 407, 423
antifungal compounds from 253
Rubus idaeus, ripening-related changes of fruit cell-wall composition of 423
Rumex patientia, naphthalene glycosides from 399
Rutaceae 729, 857

S
Saponins,
triterpenoid,
bioactive, from *Viguiera* roots 93
from *Aralia* root bark 491
from *Zygophyllum* roots, biological activity of 393
Scrophulariaceae 453
Secale cereale, ABC transporter for flavone glucuronides from 153
Secoiridoids, from *Ligustrum* fruits 327
Sesquiterpene
dialdehyde, antifungal, from *Physisporinus* 747
lactones,
allelopathic, from germinating sunflower seeds 577
germacranolides, from *Mikania* 475
polyol esters, from *Tripterygium* 341

Sesquiterpenoids,
biotransformation of, by *Curvularia* 417
seco-cuparane, from *Jungermannia* 807
from liverworts 297, 347
from mosses 297
guaiane dimers, from *Xylopia* 335
humulene, phytotoxic and cytotoxic, from *Asteriscus* 167
Sesterterpenoids, tetra-unsaturated, from *Haslea* diatoms 795
Silicon, involvement of in heavy metal tolerance of *Cardaminopsis* 685
Simaroubaceae 383
Solanaceae 59, 523, 535, 603, 741
Solanum, membrane disruption and enzyme inhibition by steroidal glycoalkaloids of 603
S. cilistum, withanolide-type steroids from 741
Soybean ethanol extract, effect of on activity of osteoblast MC3T3-E1 cells 733
Spaeropsis sapinea, *in vitro* inhibition of by pine stilbenes 161
Stemona collinsae, insecticidal alkaloids from 693
Stemonaceae 693
Steroid, pregnane, from *Aglaia* 775
Sterols, ergostane, from *Lactarium* 801
Stilbenes,
from *Pinus*, *in vitro* inhibition of *Sphaeropsis* by 161
from *Rheum* 377
Strychnos, C(3) epimer N_b, C(21)-secocuran alkaloids from 863

T
Tapirira obtusa, alkyl phenols from 781
Terpenoid biosynthesis, in *Alternaria*, via shikimate pathway 551
Tetrahydroisoquinoline-monoterpene glycosides, from *Alangium* 623
Tetraterpenoid, antifungal, from *Trianthema* 99
Theaceae 359, 819
Trianthema portulacastrum, antifungal tetraterpenoid from 99
Tripterygium wilfordii, sesquiterpene polyol esters from 341
Triterpenoids,
antibacterial, from *Adiantum* 173
cyclic, biosynthesis of in *Avena* mutants 121
dammarane, from *Forsythia* fruits 815
from ascostromata of *Daldinia* 787
from *Dysoxylum* 331
from mosses 297
from *Rhododendron* 875
weakly antiprotozoal, from *Guarea* 203
β-Truxinic acid ester, from oat grains 843
Tylophora tanakae, sequestration of phenanthroindolizidine alkaloids from by *Ideopsis* butterflies 697
Tyramine *N*-(hydroxycinnamoyl)transferase, competitive inhibition of by L-tyrosine β-naphthylamide 523
L-Tyrosine β-naphthylamide, competitive inhibition of tyramine *N*-(hydroxycinnamoyl)transferase by 523

V
Viguiera decurrens, bioactive oleanolic acid saponins from 93
Volatiles, from carnation flower fragrance 703

W
Withanolide-type steroids, from *Solanum* 741

X
Xanthones, from *Leiothrix* capitula 853
Xylopia vielana, guaiane dimers from 335

Z
Zanthoxylum, antimicrobial alkaloids from 857
Zea mays,
agmatine deiminase from 643
cadmium-induced phytochelatins form 657
induced accumulation of 2-hydroxy-4,7-dimethoxy-1,4-benzoxazin-3-one glucoside in 669
Zingiberaceae 109
Zygophyllaceae 393
Zygophyllum gaetulum, antispasmodic saponins from 393